



PRIVACYScore



Tracking im Internet sichtbar gemacht

Prof. Dr. Dominik Herrmann
Otto-Friedrich-Universität Bamberg

mit Henning Pridöhl (Uni Hamburg), Anne Laubach (Uni Kassel),
Max Maaß (TU Darmstadt) und Pascal Wichmann (Uni Hamburg)

<https://dhgo.to/track17-slides>

Motivation

Wer weiß eigentlich, dass ich mich für Sozialhilfe interessiere?

The screenshot shows a web browser window with the URL www.hamburg.de/mitte/hilfen-lebensunterhalt/. The page content includes the Hamburg.de logo, navigation menus, and a section titled "Hilfe zum Lebensunterhalt". A Privacy Badger extension is active, displaying a notification that it has detected 6 potential trackers. The extension's interface shows a list of trackers with sliders to control their tracking behavior.

| Tracker | Status |
|--------------------------------|------------------|
| www.google-analytics.com | Blocked (Red) |
| de.ioam.de | Blocked (Red) |
| qs.ioam.de | Blocked (Red) |
| script.ioam.de | Allowed (Yellow) |
| collect-eu-central-1.tealiu... | Blocked (Red) |
| visitor-service.tealiumiq.com | Blocked (Red) |

Buttons at the bottom of the Privacy Badger overlay:

- Disable Privacy Badger for This Site
- Did Privacy Badger break this site? Let us know!
- Donate to EFF

Existierende Scanning-Dienste
konzentrieren sich auf einzelne Seiten

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > [youtube.com](#) > 216.58.212.142


SSL Report: [youtube.com](#) (216.58.212.142)

Assessed on: Wed, 01 Mar 2017 20:48:35 UTC | [Clear cache](#)

[Scan Another](#)

Summary

Overall Rating



Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

Intermediate certificate has a weak signature. Upgrade to SHA2 as soon as possible to avoid browser warnings. [MORE INFO »](#)

<https://www.ssllabs.com/ssltest/>

<https://observatory.mozilla.org/> – <https://securityheaders.io/> – <http://urlscan.io/>₅

Results for **www.bundestag.de**

 [Check again](#)

🕒 2017-03-02 07:12:21

Input URL: <http://www.bundestag.de/>

Final URL: <http://www.bundestag.de/>



Insecure



Referrers leaked

2

Cookies

1

Third-party request

1

Third-party contacted

Insecure connection

www.bundestag.de does **not** use HTTPS by default.

HTTPS encrypts nearly all information sent between a client and a web service. Properly configured, it guarantees three things:

To enable HTTPS on a website, a **certificate** for the domain needs to be installed on the web server. To get a certificate that browsers will trust, you need one issued by a trusted certificate authority (otherwise a visitor's browser will show a warning).

<https://webbkoll.dataskydd.net/en/>

Internetadresse

www.muenchen.de|

Hier können Sie abfragen, ob unter der angegebenen Internetadresse Tracker eingebunden wurden.

Abfrage starten >

Abfrage

aktuelle Tracker

In aktueller Analyse erkannte Tracker

Diese Abfrage liefert Ihnen die Tracker, die bei der aktuellen Analyse des Fraunhofer SIT auf der angegebenen Internetadresse erkannt wurden.

Ihre Analyseergebnisse


[Erklärung](#)

Internetadresse: **muenchen.de** Abfragetyp: **aktuelle Tracker**

4 Tracker

Auflistung der ermittelten Tracker

1. doubleclick.net
2. meetrics.net
3. ad-srv.net
4. etracker.de



Existierende Scanning-Dienste

**richten sich primär an
Entwickler und Betreiber**

**verwenden vordefinierte
Auswertungsmethoden**

PrivacyScore hat anderen Fokus

Ziel: **öffentliche Benchmarks** um Anreize für Betreiber schaffen, den Schutz der Privatsphäre zu verbessern.

Jeder kann (annotierte) Listen von Webseiten hochladen und das **Ranking beeinflussen**.

Open Source (GPLv3+) und Open Data

NUTZERDEFINIERTER ATTRIBUTE

Schneiden Städte in Bayern besser ab als in Hamburg?

Korreliert Größe eines Krankenhauses mit Rang seiner Webseite?



Ranking und Detail-Ergebnisse



Large German Cities

Tags: de public cities

Author: Dominik Herrmann

This list contains the websites of the Top 20 German Cities in terms of population count according to Wikipedia.

Results Overview

This list contains 20 websites (with 1 scan error).

✓ 0 passed all checks

! 5 failed one or more checks

! 0 failed all tests in at least one group

✗ 15 failed at least one critical check

? 0 could not be judged due to missing data

Take this with a grain of salt! Some of our checks may report wrong results. BETA

» [Configure sorting and grouping](#)

Re-scan all sites now










NO SCANS RUNNING

Download List as CSV







Öffentliches Ranking

| # | URL | NoTrack | EncWeb | Attacks | EncMail | Rating |
|----|---|---------|--------|---------|---------|--------|
| | | » | « » | « » | « | |
| 1 | http://dortmund.de/ | ✓ | ✗ | ! | ! | ✗ |
| 2 | http://nuernberg.de/ | ✓ | ✗ | ! | ! | ✗ |
| 3 | http://muenster.de/ | ✓ | ✗ | ! | ✗ | ✗ |
| 4 | http://bonn.de/ | ! | < ? > | ! | ! | ! |
| 5 | http://wuppertal.de/ | ! | ! | ! | ! | ! |
| 6 | http://essen.de/ | ! | ! | ! | ! | ! |
| 7 | http://bochum.de/ | ! | ! | ! | ! | ! |
| 8 | http://hannover.de/ | ! | ! | ! | ! | ! |
| 9 | http://berlin.de/ | ! | ! | ! | ✗ | ✗ |
| | | ! | ! | ! | ✗ | ✗ |
| | | ! | ✗ | ! | ? | ✗ |
| | | ! | ✗ | ! | ? | ✗ |
| 13 | http://frankfurt.de/ | ! | ✗ | ! | ! | ✗ |
| 14 | http://bielefeld.de/ | ! | ✗ | ! | ! | ✗ |
| 15 | http://hamburg.de/ | ! | ✗ | ! | ! | ✗ |
| 16 | http://dresden.de/ | ! | ✗ | ! | ! | ✗ |
| 17 | http://stadt-koeln.de/ | ! | ✗ | ! | ! | ✗ |
| 18 | http://leipzig.de/ | ! | ✗ | ! | ! | ✗ |
| 19 | http://stuttgart.de/ | ! | ✗ | ! | ! | ✗ |
| 20 | http://muenchen.de/ | ! | ✗ | ! | ! | ✗ |

NoTrack: No Tracking by Website and Third Parties

| | | | |
|---|---|------------|---|
|  | Check if 3rd party embeds are being used The site does not use any third parties. | reliable | ▼ |
|  | Check if embedded 3rd parties are known trackers The site does not use known tracking or advertising services. | reliable | ▼ |
|  | Determine how many cookies the website sets The site sets 1 short-term, 1 long-term, and 0 Flash cookies. | reliable | ▼ |
|  | Determine how many cookies are set by third parties No one else is setting any cookies. | reliable | ▼ |
|  | Check if Google Analytics is being used The site does not use Google Analytics. | reliable | ▼ |
|  | Check if Google Analytics has privacy extension enabled Not checking as the site does not use Google Analytics. | reliable | ▼ |
|  | Check whether web server is located in EU All web servers are located in Germany. | | ▼ |
|  | Check whether mail server is located in EU All mail servers are located in Germany. | | ▼ |
|  | Check whether web and mail servers in same country The geo-location(s) of the web and mail server(s) are identical. | unreliable | ▼ |

Attacks: Protection Against Various Attacks

| | | | |
|---|---|------------|---|
|  | Check for unintentional information leaks The site does not disclose internal system information. | unreliable | ▼ |
|  | Check for presence of Content Security Policy The site does not set a Content-Security-Policy (CSP) header. | shallow | ▼ |
|  | Check for presence of X-Frame-Options The site does not set a X-Frame-Options (XFO) header. | unreliable | ▼ |
|  | Check for secure XSS Protection The site does not set a X-XSS-Protection header. | unreliable | ▼ |
|  | Check for secure X-Content-Type-Options The site does not set a X-Content-Type-Options header. | unreliable | ▼ |
|  | Check for privacy-friendly Referrer Policy The site does not set a referrer-policy header. | unreliable | ▲ |

Detail-Ergebnisse











vents the browser from disclosing the URL of the . Without a referrer policy most browsers send a content is retrieved from third parties or when you king on a link. This may disclose sensitive informa-

Conditions for passing: Referrer-Policy header is present. Referrer-Policy is set to "no-referrer" (which is the only recommended policy recommended by dataskydd.net in their Webbkoll scan service).











Reliability: unreliable. At the moment we only check for this header in the response that belongs to the first request for the final URL (after following potential redirects to other HTTP/HTTPS URLs).

Potential scan errors: We may miss security problems on sites that redirect multiple times. We may also miss security problems on sites that issue multi-

EncWeb: Encryption of Web Traffic

| | | |
|--|--|---|
|  | Check whether HTTP URL is also reachable via HTTPS unreliable | ▼ |
| | The site does not use HTTPS by default but it makes available the same content via HTTPS upon request. | |
|  | Check whether the SSL certificate is valid unreliable | ▼ |
| | The website uses a valid security certificate. | |
|  | Check for automatic redirection to HTTPS reliable | ▼ |
| | The website does not redirect visitors to the secure (HTTPS) version, even though one is available. | |
|  | Check if the server prevents access via HTTPS reliable | ▼ |
| | Server does not redirect HTTPS requests to HTTP (which is good). | |
|  | Check if the server offers Perfect Forward Secrecy reliable | ▼ |
| | The web server is supporting perfect forward secrecy. | |
|  | Check for valid Strict-Transport-Security (HSTS) unreliable | ▼ |
| | The server uses HSTS to prevent insecure requests. | |
|  | Check for duration given in HSTS header unreliable | ▼ |
| | The site uses HSTS with a sufficiently long duration. | |
|  | Check if server is ready for HSTS preloading unreliable | ▼ |
| | The site is not using HSTS preloading to prevent insecure requests. | |
|  | Check for HSTS Preloading unreliable | ▼ |
| | Not checking as the website does not advertise it. | |
|  | Check for valid Public Key Pins unreliable | ▼ |

EncMail: Encryption of Mail Traffic

| | | |
|---|--|---|
|  | Check that insecure SSL 2.0 is not offered reliable | ▼ |
| | The server does not support SSLv2. | |
|  | Check that insecure SSL 3.0 is not offered reliable | ▼ |
| | The server does not support SSLv3. | |
|  | Check if legacy TLS 1.0 is offered informational | ▼ |
| | The server does not support TLS 1.0. | |
|  | Check if TLS 1.1 is offered informational | ▼ |
| | The server does not support TLS 1.1. | |
|  | Check that TLS 1.2 is offered reliable | ▼ |
| | The server does not support TLS 1.2. | |
|  | Check for protection against Heartbleed reliable | ▼ |
| | The server is secure against the Heartbleed attack. | |
|  | Check for protection against CCS attack unreliable | ▼ |
| | The server is secure against the CCS attack. | |
|  | Check for protection against Ticketbleed experimental | ▼ |
| | The server is secure against the Ticketbleed attack. | |
|  | Check for Secure Renegotiation reliable | ▼ |
| | The server is secure against the Secure Re-Negotiation attack. | |
|  | Check for Secure Client-Initiated Renegotiation reliable | ▼ |
| | The server may be vulnerable to the Secure Client Re-Negotiation | |

Auswertungen für mehr Transparenz (geplant)

| Top 20 Städte | Bekannte Tracker | Third-Party-Server | Third-Party-Cookies |
|----------------------|-------------------------|---------------------------|----------------------------|
| Hamburg | 40 | 81 | 49 |
| Berlin | 22 | 37 | 17 |
| Leipzig | 6 | 10 | 5 |
| München | 5 | 11 | 3 |
| Bremen | 4 | 13 | 3 |
| Dresden | 3 | 8 | 4 |
| Düsseldorf | 2 | 3 | 3 |
| Hannover | 2 | 3 | 1 |
| Köln | 2 | 3 | 1 |
| Stuttgart | 1 | 7 | 2 |

| Top 20 Städte | Bekannte Tracker | Third-Party-Server | Third-Party-Cookies |
|---------------|------------------|--------------------|---------------------|
| Hamburg | 40 | 81 | 49 |
| Berlin | 22 | 37 | 17 |
| Leipzig | 6 | 10 | 5 |
| München | 5 | 11 | 3 |
| Bremen | 4 | 13 | 3 |
| Dresden | 3 | 8 | 4 |
| Düsseldorf | 2 | 3 | 3 |
| Hannover | 2 | 3 | 1 |
| Köln | 2 | 3 | 1 |
| Stuttgart | 1 | 7 | 2 |
| Bielefeld | 1 | 2 | 0 |
| Bonn | 1 | 1 | 0 |
| Duisburg | 0 | 4 | 0 |
| Essen | 0 | 2 | 1 |
| Wuppertal | 0 | 2 | 0 |
| Münster | 0 | 0 | 0 |
| Dortmund | 0 | 0 | 0 |
| Nürnberg | 0 | 0 | 0 |
| Bochum | 0 | 0 | 0 |
| Frankfurt | 0 | 0 | 0 |

Ursache für hohe Anzahlen: professionelle Umsetzung



Check if embedded 3rd parties are known trackers reliable

The site is using 40 known tracking- or advertising companies.


adnxs.com googlesyndication.com
mxcdn.net adsafeprotected.com
tealiumiq.com youtube.com
mookie1.com adform.net criteo.com
adtech.de google-analytics.com
gstatic.com truste.com oms.eu
tiqcdn.com adnet.de mathtag.com
refinedads.com stickyadstv.com
googleapis.com smartadserver.com
doubleclick.net theadex.com m6r.eu
mpnrs.com adition.com fqtag.com
2mdn.net intelliad.de ioam.de
meetrics.net turn.com fonts.com
cloudfront.net mp-success.com
sascdn.com adscale.de nuggad.net
content-recommendation.net
innovid.com

| Top 20 Städte | Bekannte Tracker | Third-Party-Server | Third-Party-Cookies | Web: HTTPS | Mail: STARTTLS |
|---------------|------------------|--------------------|---------------------|--------------------|-------------------|
| Hamburg | 40 | 81 | 49 | keine Umleitung | kleinere Probleme |
| Berlin | 22 | 37 | 17 | kleinere Probleme | kein TLS 1.2 |
| Leipzig | 6 | 10 | 5 | keine Umleitung | kleinere Probleme |
| München | 5 | 11 | 3 | erzwingt HTTP ! | kleinere Probleme |
| Bremen | 4 | 13 | 3 | kleinere Probleme | kein TLS 1.2 |
| Dresden | 3 | 8 | 4 | keine Umleitung | kleinere Probleme |
| Düsseldorf | 2 | 3 | 3 | Zertifikatsproblem | Test abgebrochen |
| Hannover | 2 | 3 | 1 | kleinere Probleme | kleinere Probleme |
| Köln | 2 | 3 | 1 | erzwingt HTTP ! | kleinere Probleme |
| Stuttgart | 1 | 7 | 2 | keine Umleitung | kleinere Probleme |
| Bielefeld | 1 | 2 | 0 | keine Umleitung | kleinere Probleme |
| Bonn | 1 | 1 | 0 | Test abgebrochen | kleinere Probleme |
| Duisburg | 0 | 4 | 0 | keine Umleitung | Test abgebrochen |
| Essen | 0 | 2 | 1 | kleinere Probleme | kleinere Probleme |
| Wuppertal | 0 | 2 | 0 | kleinere Probleme | kleinere Probleme |
| Münster | 0 | 0 | 0 | kleinere Probleme | kein TLS 1.2 |
| Dortmund | 0 | 0 | 0 | kein TLS 1.2 | kleinere Probleme |
| Nürnberg | 0 | 0 | 0 | kein TLS 1.2 | kleinere Probleme |
| Bochum | 0 | 0 | 0 | kleinere Probleme | kleinere Probleme |
| Frankfurt | 0 | 0 | 0 | kleinere Probleme | kleinere Probleme |

| # | URL | Land | Traeger | Promotions-recht | NoTrack » | EncWeb « » | Attacks « » | EncMail « | Rating |
|----|---|------|-----------|------------------|--------------|---------------|----------------|--------------|--------|
| 11 | http://www.tuhh.de/ | HH | staatlich | ja | ✓ | ! | ! | ! | ! |
| 12 | http://www.hfmt-hamburg.de/ | HH | staatlich | ja | ✓ | ! | ! | ! | ! |
| 13 | http://www.hft-leipzig.de/ | SN | privat | nein | ✓ | ! | ! | ! | ! |



Anteil mit NoTrack ✓




Anteil mit EncWeb ✗

dunkler ist schlechter



Lists in the Spotlight

We present selected lists of websites that have been added to PrivacyScore. Long lists load quite slowly. Please be patient. **IMPROVEMENTS UNDERWAY**



Car Brands

Home pages of 105 major car brands



German Health Insurers

Home pages of 154 private and public health insurers.



EU Data Protection Agencies

This list contains the websites of European data protection agencies.



Create your own list

Do you want to submit your own list? You are just one click away!

Bereits vorhandene Listen

Krankenkassen/-versicherungen

Deutsche Hochschulen

Parteien

Behörden

Kommunen

Krankenhäuser

Deutsche Datenschutzbehörden

Global Top 500 (moz.com)

Internetanbieter

Ethische Erwägungen

Rechtliche Beurteilung

Ist der Betrieb von PrivacyScore zulässig?

- 1 — Untersuchung von Webseiten ohne Zustimmung der Betreiber
- 2 — Rechtliche Bewertung der Untersuchungsergebnisse
- 3 — Veröffentlichung der Ergebnisse auf der PrivacyScore-Webseite

PrivacyScore: Tracking im Internet sichtbar gemacht

Transparenz, Aufmerksamkeit und Anreize für Betreiber, Sicherheit und Datenschutz ernst zu nehmen

Funktionen für geschlossene Benutzergruppen geplant

Welche weiteren Prüfungen wünschen Sie sich?

Legen Sie selbst eine Liste an!



PRIVACYScore.ORG BETA

| | Known Trackers | 3rd Party Servers | 1st Party Cookies | 3rd Party Cookies |
|------------|----------------|-------------------|-------------------|-------------------|
| Piraten | 0 | 0 | 0 | 0 |
| Linke | 0 | 1 | 0 | 0 |
| Die PARTEI | 0 | 1 | 2 | 0 |
| CDU | 1 | 1 | 3 | 0 |
| Grüne | 1 | 4 | 2 | 1 |
| SPD | 1 | 6 | 3 | 0 |
| FDP | 2 | 7 | 0 | 0 |
| AFD | 4 | 22 | 2 | 3 |
| CSU | 5 | 10 | 8 | 7 |



PrivacyScore

@privascore

Follow

How well do German party websites protect your privacy?
privascore.org/list/26 => Top: @piratenpartei & @dielinke.
Flop: @afd_bund & @csu.

5:51 PM - Aug 14, 2017



6



245



172